

Key words, general index (1/1991-2/2018)

The number on the left indicates the initial page of the original article, whereas the number on the right of the bar-line indicates the year of publication of European Journal of Pediatric Dermatology. The numbers followed by “t” refer to the page of the Practical Pediatric Dermatology; the numbers followed by “d” refer to the page of the Pediatric Dermoscopy Book. They are followed, after the bar-line, by the year of publication.

Absorption, percutaneous		ALDY	182/16	solitary papular	
newborn	157/91	(vs) superficial morphea	132/16	(vs) common wart	196/16
Acanthosis nigricans	85/03	Allergic contact dermatitis		tongue	233/05
Crouzon, syndrome	209/96	airborne	29/18	Angioma, eruptive	
Acetaminophen		minoxidil	122/17	satellitosis	207/10
fixed drug eruption	123/17	henné	93/03, 55/11	topical timolol	213/16
Acitretin	151/09	propranolol	122/14	Angioma, flat, midline	81/03
pruritus	63/18	(and) psoriasis	120/09	and lateral	149/99
Acne	337t/98	topical corticosteroids	29/01	Angioma, lobular,	
(vs) angiofibromas	135/99	Allergy, rubber	215/01	eruptive	481t/00
port-wine	256/11	Allergy, food		palmar	91/06
questionnaire	32/18	alternative medicine	165/03	Angioma, microvenular	33/97
violinist	120/11	Alopecia, androgenetic	56/16	Angioma, port-wine	156/10
Acne		Alopecia, break dance	92/06, 254/15	Angioma, tufted	210/03,
cystic rosacea-like	7/13	Alopecia areata	63/09		154/09, 233/12
Acne, neonatal		dermoscopy	132/09, 133/09	Anhidrosis	
(vs) atopic dermatitis	10/92	Down	7/14	peripheral neuropathy	237/12
retinoids	81/98	incognita	187/14	Anisakis	
Acne, steroid	282/12	neonatal	56/11, 252/14	atopic dermatitis	109/08
Acne, vulgaris	185/10	tacrolimus	227/07	Anitis, streptococcal	19/09
Acromioniasis	71/11	Alopecia, androgenetic		Anonychia, congenital	253/08
Acrocyanosis	842t/06	tricho-rhino-phalangeal s.	75/16	Anticonvulsant drugs	
propranolol	58/17	Alopecia, localized of the scalp	201/92	hyperpigmentation	64/18
Acrodermatitis,		Alopecia, triangular,		Antimycotic drugs	33/00
enteropathica	209/99, 73/07	congenital	57/11, 132/09	Antihistamines	161/00
	178/08, 211/12	dermoscopy	133/09	APEC	133/94, 21/96
transient, premature	13/94	normal tuft	273/10	Aplasia cutis	
Acrogeria	107/10	Alopecia, universalis		antithyroid drugs	117/05
Acropustolosis, infantile	201/12	mental retardation	29/92	bullous-like	148/10, 174/15
Actinic comedonal plaque	223/12	Amniotic band	582/02,	familial	50/13
Adalimumab			221/06	gangrenous	91/09
subacute lupus erythematosus-like	190/16	Anagen effluvium	606t/02	pseudohermaphrod.	169/98
Adenoma		Anatomical variants		ulcer, persistent	239/16
pleomorphic	175/12	genital and anal	29/13	xipho-umbilical	180/114
Adenomatosis, erosive		Angiofibroma		Appendix, angiofibr.	
nipple	62/13	(vs) acne	135/99	lip	215/06
AIDS	33/99	Angiogenesis	39/99	Ash, dermatitis	734t/04
skin disorders	21/93	hemangioma	45/99	Atenolol	179/12, 90/16, 178/16
Alagille, syndrome	35/91	Angiokeratoma	68/09	Atopy	
Albright, syndrome	141/96	circumscriptum nevirforme	217/14	patch tests	139/17
		diffuse, unius lateris	214/06	warts	223/93

Atopic, dermatitis	150/04, 154/04	Blaschkitis	25/11, 115/16	Chronic granulomatous disease	196/14
angioma, flat, midline	50/11	Blaschko lines		Collagenosis, perforans	147/11
antibiotics	77/96	hyper-pigmentation	73/94	Condylomata acuminata	198/08
ant inflammatory, topical	157/98	Borreliosis, Lyme		(vs) epidermal nevus	4/11
berloque	124/17	dermatomyositis, type	9/93	(vs) flat, luetic	4/91
CD23	19/95	pityriasis lichenoides, type	77/94	giant	21/17
extrinsic, intrinsic	103/07	Bruising, accidental	68/14	(vs) pearl-like papules, penis	154/02
face, tinea-psoriasis-like	55/124	Buschke-Ollendorf, syndrome	77/00	Condylomata, flat, luetic	
foods, contact dermatitis	85/91			(vs) genital warts	4/91
house dust	157/95	C7 , deficiency	121/87	Chondrodysplasia punctata	
hypopigmented, vs vitiligo,		Cafè-au-lait spots	209/95, 99/97	ichthyosis	221/02
pityriasis versicolor	218/02	baby	88/17	Chromhidrosis, apocrine	
ichthyosiform outcomes	188/17	mongolian spot	117/17	ectopic	26/04
infections, early	101/06	Calcified nodule of Winer	61/15	Contracture, ischemic	19/11
interleukin 18	71/15	Calcinosis		Corticosteroids and	
irritability, cutaneous	13/93	systemic sclerosis	179/08	tacrolimus	101/03
laboratory, examin.	213/95	Calcinosis cutis universalis		Crohn, disease	796t/t/06
macrophage-derived chemokine	71/15	Idiopathic	188/13	granulomatous cheilitis	190/17
management,		Candida rugosa		Cutis laxa	81/91
allergologic	149/98	onychomycosis	53/11	Cutis marmorata	4/14, 249/15
minor diagnostic criteria	79/16	Candidiasis, congenital	312t/97	Cutis marmorata telangiectasica congenita	
mites	51/91, 41/91		840t/06, 145/06	153/97, 93/98, 803t/06,	
natural history	145/98	Candidiasis, chronic muco-cutaneous	124/16	242/08, 156/10, 276/12, 4/14	
platelets	21/16		4/18	unresponsive to propranolol	182/13
posthitis	162/12	skin cancer	225/02	Cutis verticis gyrata	157/99
premature	121/92	Capillaroscopy		Cyst, nasolabial	31/14
prevalence	140/14	neonatal hemangioma	89/98		
psychosocial, consequences	97/08	Carcinoma		D acryocystocele	247/05, 189/17
quality of life	147/04	basal cell, pigmented		Darier, disease	
questionnaire	19/18	nevus-like	29/06	segmental	151/91, 39/09
score	145/04	Merkel	192/14	Defluvium, traumatic	610t/03
segmental	199/11, 161/12	squamous cell	145/92	Demarcation lines	70/14
summer	149/95	Carcinoma, verrucosum		Demodicidosis, HIV	25/99
tic, hand extension	211/10	EBDR	251/11	Dermapedia	201/15
topical probiotic	102/17	Cardiofaciocutaneous, syndrome	14/16	Dermatitis, atopic and	
topical treatment	154/98	Carney, complex	9/16	psoriasis, hospitalizat.	97/96
vs acne, neonatal	10/92	Carotinoderma	9/95	Dermatitis, artefacta	127/13, 203/13,
vs keratosis, follicular,		Cartoons, dermatology	89/03	256/14, 60/16	
rubra	68/11, 202/91	Carvajal, syndrome	201/07	histology	207/17
vs herpetiformis, dermatitis	74/91	Cefdinir serum sickness-		pseudotinea	255/13
vs scabies	202/91, 10/92, 33/95,	-like reaction	242/12	Dermatitis, lichenoid	59/13
	6/03, 614t/03, 648t/03	Celiac disease	87/95	Dermatofibroma	212/10
Atrophoderma, Pasini-Pierini	154/11	Cellulitis, septic		satellitosis	41/07
		neonatal	119/09	multiple and LES	77/03
B aboon syndrome,		Chalaziosis, linear	183/05	Dermatofibrosarcoma	
children	9/08	Chewing pads vs		protuberans, congen.	219/06
Balanitis xerotica,		pachydermodactyly, knuckle pads	230/12	multiple	77/03
obliterans	197/12	Child abuse vs		Dermatology, internet	107/95, 165/96
Basidiobolomycosis	144/17	trichotillomania	134/93	Dermatomyositis	137/93, 105/08
Beckwith-Wiedemann,		Chocolate, hypersensitivity	29/94	amyopathic	245/09, 159/08
syndrome	90/04	Cholestasis, chronic	35/91	celiac disease	153/06
Bite, human	222/12			Dermoid, cutaneous ocular	144/10

Dermoscopy		systematized	213/14	G ame of the funnel	128/14
non melanocytic hyperpig.	189/05	Epidermodysplasia, verruciform	198/17	Gangrena, gluteal	
pediatric	1/07	Epidermolysis bullosa	276t/97	(vs) hemangioma	5/01
<i>Phthirus pubis</i>	54/11	carcinoma, squamous	251/11	Gangrena, neonatal	
xanthogranuloma	111/12	Dowling-Meara, type	89/93	protein C and S deficiency	157/09
Dermotic	105/05	(vs) linear IgA d.	132/15	Gardner-Diamond, syndrome	135/13
Diaper rash	17/00, 43/09, 225/08,	dystropic, dominant	161/02	Genital warts	91/14
	136/16	dystrophic, recessiva inversa	138/91	Gianotti-Crosti syndrome	22/96,
acanthosis nigricans,		dystrophic recessiva vs		177/05, 143/09	
Down, syndrome type	7/14	epidermolytic hyperkeratosis	197/00	epidemics	159/06
	93/94	dystrophic,		betahemolytic streptococcus	
chlorhexidine and bacterial flora		self-healing localiz.	115/13	group A	151/11
	213/96	simplex		classification	218/15
prevention	225/91	(vs) acral peeling	68/18	Gingivitis,	
Didymosis	272/10	pyloric atresia		plasmacellular	278/10
aplastic, sebaceous	158/08	and muscular dystrophy	17/16	Glioma, nasal	169/92, 167/06
Digital clubbing	242/14	treatment, hands	160/11	Glomangioma, familial multiple	
Dimples, shoulder	163/02	Epstein-Barr virus			138/13
Dowling-Degos, syndrome	17/94	dermatitis	25/94	Gloves and socks, syndrome	23/96,
Down, syndrome	167/98, 7/14	Eruption, Afro-Caribbean	197/01		834t/06
Down-Turner, mosaicism		Eruption, lichenoid,		Goldenhar, syndrome	51/17
and psoriasis	77/97	actinic	73/01	Goltz, syndrome	213/97,
DRESS, lamotrigine	7/11	Erysipelas	250/14		148/09, 120/10
Dysplasia, ectodermal		port-wine	57/17	Gorlin, syndrome	218/04
hypohidrotic	201/98, 73/95, 241/17	Erythema <i>ab igne</i>	168/12, 54/16	Gougerot-Cardaude, syndrome	122/5
Dysplasia, tibial, NF1	59/09, 49/16	Erythema multiforme		Graft versus host disease	13/96,
Dysraphism	159/14	post-herpetic	54/17		124/11
E ar		Erythrokeratoderma		Granuloma	
fighter	668t/03	variabilis	253/12, 113/14	annulare	125/05, 188/14
red, syndrome	174/07	Exanthem		deep	253/15
EBV	199/2015	atypical	19/96, 19/96	generalized	57/14
palivizumab	199/15	paraviral	25/16	calcium, extravasation	820t/06
Ecchymosis, plantar		Exostosis	196/13	Granuloma, eosinophilic	
(vs) melanocytic nevus	6/95	subungual	252/09	cutaneous	253/16
Eczema-like	117t/94	Eyelashes, ectopic	184/08	monostotic	61/11
Eczema, nummular	21/06	F ibrohistiocyoma, benign	187/11	Granuloma, idiopathic	
Eczema, segmental	199/11	Fibroma, non ossifying of the bone		faciale	164/12
Edema, hemorrhagic acute			168/13	(and) chalazia	188/15
	812t/06, 71t/94	Fibromatosis, digital,		Granulomatosis, lymphangiectatic	
EEC, syndrome	246/08	infantile	141/94, 489t/00	perianal	263/12
Ehlers-Danlos, syndrome	137/03	Fifth disease	187/05, 141/06	granulomatous, chronic	61/17
	68/114	Fixed drug eruption		disease	369t/99
Elastoma, juvenile	201/03	acetaminophen	123/17	Granulosis rubra nasi	214/13
Encephalocele	212/12	Folliculitis		Griseofulvin	
Encopresis,		acne infantum-like	275/10	newborn	24/15, 60/15
perianal dermatitis	169/07	decalvans	124/18	Groove perineal	16/15, 245/15
Enteropathy, protein losing		due to olive oil	121/15	H ailey-Hailey	705t/04, 191/15
epidermolysis bullosa	33/06	eosinophilic	153/07, 205/96	Hair	
Epidemiology	191/10	superficial of the buttocks	126/16	autocombed, syndrome	93/07
Epidermal nevus		Frey's syndrome	174/08	inherited skin disorders	73/98
syndrome	210/14	Frontal whorl	113/13		

uncombable, syndr.	209/94	ulcer, neonatal	55/13, 271/10	Langerhans and	
Hair casts	79/09		114/18	non-Langerhans	157/07
alopecia, traction	21/03	ulcerated vulvar	215/12	vulvar involvement	147/93
(vs) nits	134/07	urticaria-angioedema	124/13	HPV	
Hair collar sign		vs gluteal gangrene	5/01	giant condyloma	32/17
around hemangioma	245/13	vs venous malform.	70/06	Hydration, skin	99/07
Hair loss		Hemangioma, congenital	211/03	atopic skin	17/07
anagen	81/06	(vs) infantile hemangioma	68/16	Hydroa, vacciniform	199/09
Hair thread tourniquet	23/09	(non) involuting	216/12	Hyper IgE, syndrome	86/11,
Hair whorl	160/13	(and) nevus leiomyoma	272/10		209/04
Hallermann-Strieff, syndrome	660t/03	partially involuting	177/17	acromioniasis	71/11
Halo nevus		Hemangioma, extracutaneous	64/11	Hyperkeratosis, epidermolytic	161/99,
inflamed	124/14	Hemangiomas	77/06		138/15
Hamartoma		Hemiatrophy, facial	201/95	acitretin	205/00
arrector pili muscle	220/12	Hemihypertrophy, tongue	157/12	(vs) dystrophic recessive epidermolysis	
cystic, follicular		Herpes gestationis	149/06	bullosa	197/00
sebaceous	158/08	Herpes simplex cutaneous, recurrent		Hyperkeratosis, vertebral apophysis	128/17
fibrous, infantile	98/03		328t/98, 56/13	Hypermelanosis, nevoid	144/16
lipomatosus	828t/06	diagnosis	11/88, 74/92	Hyperpigmentation, distal	
Hand-foot-mouth disease		(vs) fixed drug eruption	74/92	phalanges	137/00
	834t/06, 280/12	herpetic eruption	146/09	Hyperpigmentation, oral cavity	
leukonychia, Beau lines	189/14	infections in HIV	29/99		126/13
scarlet-like residua	19/18	neonatal	160/12	Hyperplasia, angiolymphoid, eosinophilic	
Hemangioendothelioma		(vs) pyoderma, tinea	198/95		256/16
kaposiform	249/12	recurrent in Langerhans	117/11	Hyperplasia, lymphoid	113/05
Hemangioma	214/12, 279/12	whitlow	836t/06	Hyperplasia, sebaceous	52/16
angiogenesis	161/09	zoster-like primary infection	81/07	Hypersensitivity, anticonvulsants,	
atenolol	179/12, 90/16, 178/16		118/16, 118/18	diazepam	87/16
cerebral	49/11	Herpes zoster	25/96, 219/93, 148/14	Hypersensitivity, foods	81/01
compression	13/95, 181/14		184/17	Hypersensitivity, insects	
(vs) congenital hemangioma	68/16	due to fetal varicella	79/18	bullous	168/06, 118/15
corticosteroids,		immunodeficiency	29/99	mosquito	17/04
propranolol	288/12, 175/09, 170/09	infantile	9/03	Hypertrichosis	
histology	140/10	varicellosus	54/14	congenital localized	132/13
intramuscular	143/10	Heteroplasia, osseus,		laser treatment	89/13
metameric and arteropathic		progressive	113/02	Hypocalcemia	6/18
ulcer	13/08	Hibernoma	167/04	Hypomelanosis	
metameric precursor	122/13	Hidradenitis, axillary, neonatal	186/14	clobetasol	125/14
neonatal		Hidradenitis, eccrine	57/13	Hypomelanosis, Ito	
difficult diagnosis	49/14	Histiocytoma, angiomatoid	251/17	ventricular septal defect	235/10
oral cavity	206/10	Histiocytoma,		Hypopigmentation en confetti	
plantar	250/08	eruptive, generalized	157/11	segmental NF1	114/13
port-wine stain	192/09, 19/01	Histiocytoma, fibrous	13/01, 99/03	Hypoplasia,	
radiotherapy	159/97	Histiocytoma, Langerhans	215/07	focal dermal	148/09
rebound	242/15		262/10, 287/12,	Hypothyroidism	140/2015
scleral	116/09	Histiocytosis, Langerhans	424t/99,		
segmental			27/15	Ichthyosis	
hypertrophy	61/18	acquired, self-healing	88/91, 169/05	bathing suit	241/09, 75/08, 113/16
site	242/15		70/08, 214/10, 217/11	epidermolytic	156/09, 13/04
subungual	115/17		192/13, 127/14	lamellar, tinea corpo.	142/10
targetoid hemosiderotic	191/17	congenital, self-healing	6/91, 81/99	rickets	71/13
thermal gradient	57/15		85/99, 89/99	X-linked	85/04, 241/13

estriol in pregnancy	243/14	Keratosis, follicular		anulatus, dermoscopy	58/14
Ichthyosis, harlequin	150/09	vs multiple trichoepitheliomas	132/11	bullous	186/13
Idiopathic aseptic facial granuloma		Keratosis		dermoscopy	208/10, 58/14
calathion	186/14	inverted follicular	192/15	linear	210/11
calathion	254/14	follicularis decalvans	69/96, 125/18	vs lichen aureus	196/11
IgA, linear dermatosis	23/91,	Keratosis rubra pilaris		Lichen sclerosus	790t/06, 196/09
	798t/06, 137/08	vs atopic dermatitis	68/11, 202/91		186/11, 197/12, 26/13, 189/15
(vs) EB Dowling-Meara	132/15	KID, syndrome	209/08	familial	59/14
ILVEN	199/13	Knuckle pads		Lichen striatus	182/08
Imiquimod		(vs) dermatitis artefacta	134/04	morphea	201/00
herpes-like eruption	226/12	(vs) pachydermodactyly,		trachyonychia	285/12
Immunodeficiency, syndrome	137/98	chewing pads	230/12	Lichen striatus	95/14, 161/03,
severe combined,					149/03, 9/99, 193t/96
X-linked	139/09	L amotrigine, DRESS	7/11	nail involvement	280/10
Impetigo	155/03	Langerhans cell histiocytosis		vs epidermal nevus	6/04
herpes-like	163/07	acquired, cutaneous	192/13, 127/14	Licking, tic	141/00
Incontinence, urinary	74/14		256/15	Lightning	255/14
Incontinentia pigmenti	153/99,	Lawrence-Seip syndrome	25/00	Line, transverse, nasal	91/04
	166/07, 204/12, 49/13	Leiner's disease	13/00	hypopigmentation	211/07
cleft lip	123/12	Leiomyoma, nevus	161/96, 209/98,	Lipoatrophy	
inflammation, recurr.	92/11		55/09, 116/14, 241/16	insulin	11/11
Infiltration, lymphocytic,		giant	22/11	post-injection	127/12
Jessner	188/11	Leishmaniasis	379t/99	Lipoid proteinosis	212/17
Influenza A (H1N1)		congenital	99/01, 149/10, 131/12	Lipomatosis, asymmetrical multiple	256/17
nodular eruption	52/11	cutaneous, recurrent post-Kala-azar			
Internet and pediatric dermatology			97/02, 648t/03	Lipschutz's ulcer	
	165/95, 107/96	dermal	97/02	due to EBV/CMV	145/13
iPad	172/10	mucous, cutaneous	95/00	Lupus, erythematosus	199/93
iPhone	172/10	Lentiginosis		Lupus erythematosus, discoid	211/09
Irritant contact, dermatitis		bifocal	38/07		214/09, 277/10, 183/13, 120/18
iodine	121/11	eruptive, periflexural and		anorexia	250/11
potassium hydroxide	53/16	Langerhans histiocytosis	75/11	Lupus erythematosus, neonatal	77/92,
Isotretinoin		unilateral	39/07		205/98, 155/00
giant cell granuloma	27/06	LEOPARD, syndrome	163/97	Lupus erythematosus, panniculitis	
Ito, hypomelanosis	115/92,		553t/01, 127/15		135/14
	236/96	Lepra	22/14	Lupus erythematosus, systemic	173/05
		Leukemia	449t/00	vs seborrheic dermatitis	70/04
J ellyfish, dermatitis	247/17	Leukemia, lymphatic		Lupus erythematosus, subacute	73/06
		congenital primary cutaneous	18/08	Lupus erythematosus, subacute-like	
K abuki, syndrome	241/08	Leukemia, myeloid	150/10, 213/10	adalimumab	190/16
Kasabach-Merrit, syndrome		Leuconychia	862t/07, 857t/07	Lyme disease	81/92, 113/92
	249/12, 153/94	total, congenita	221/08	Lymphangectasias, acquired	20/15
Kawasaki disease	22/96, 205/99	Lichen		Lymphangioma	68/09, 152/10, 214/13
	227/06, 13/07	onychopathy	863t/07	hypohemo	113/18
perineal eruption	75/13	segmental	122/18	macrocytic	182/17
Keratoderma, aquagenic	203/09	Lichen actinicus	58/11	fetal	86/07
	156/12	Lichen aureus	93/93, 283/12, 60/17	multiple	116/16
Keratoderma, palmo-plantaris	826t/06	(vs) lichen ruber planus	196/11	OK-438	23/01
Carvajal, syndrome	201/07	Lichen nitidus	794t/06, 103/10	Lymphangitis	
epidermolytic	217/08, 95/09,	linear Blaschko, superimposed		(on) eczema	62/18
	203/15		145/07, 239/07	Lymphedema, primary	
Keratolysis exfoliativa	125/13	Lichen planus	848t/07	plantar warts	37/07

Lymphedema, secondary		Meyerson nevus and		Neonate	
physical activity	128/16	phenomenon	204/11, 244/17	survey of skin lesions	83/13
Lymphoma		Milium, persistent	89/94	Netherton, syndrome	219/99,
cutaneous	433t/00	Minoxidil			244/08
lymphoblastic	62/17	hypertrichosis	210/07	Neuroblastoma	453t/00
pre-B	141/07	Molluscum contagiosum	97/09, 105/09	IVS, neurologic signs	87/09
Lymphomatoid papulosis	176/08	agminated endophytic	248/16	Neurofibroma, congenital	159/12,
type A	254/08	cellulitis	120/16		252/17
type B	176/08	dermatitis	136/15	hypertrichosis	120/13
type C	255/08	potassium hydroxide	53/16	Neurofibroma, plexiform	113/11,
M acula, melanotic lingual	58/18	familial	118/11		64/13
Malalignment, nail	114/16	fibrous papilloma	247/16	(vs) congenital melanocytic nevus	172/12
valgus big toe	210/10, 5/13	nutraceutical	269/12	Neurofibroma, solitary	128/17
Mal de Meleda	27/17	trichoepiteliomas, multiple	196/17	Neurofibromatosis	58/15
Malformation		(and) warts	122/16	early diagnosis	149/92
capillary-venous	177/15	Mondor disease	212/07, 190/15	frontal whorl	113/13
hypotrophy	152/09	Mongolian spot	137/04	nevus anemicus	177/14
Mallorca acne	126/15	café-au-lait spots	117/17	peripheral	59/09, 64/13, 132/14
Malnutrition, neonatal	82/18	halo	245/16	segmental	257/12, 114/13, 241/14
Mastocytoma	128/13	Monilethrix	157, 93		172/15
Darier sign	126/14		101/02, 114/11, 241/15	segmental, bifocal	115/09
generalized erythema	24/17	Morphea		type II	39/06
neonatal	126/18	linear	284/12	Nevus, anemicus	68/08
silent history	62/14	superficial vs ALDY	132/16	vs hypopigm. nevus	102/05
Mastocytosis	401t/99, 101/08,	Mosaicism, pigmentary	27/09	Nevus, Becker	
	122/09	recurrent inflamm.	242/13	mistreated	246/16
bullous	216/07	Mosquito, hypersensitivity	181t/95	nipple hypoplasia	188/16
dermographic	251/16	Mucinosis, follicular	166/04	Nevus, blue	
infiltrating	160/07	Multiple lentigines, syndrome	127/15	oral	170/06
juvenile xanthogranuloma,	63/13	Mycobacterium avium complex	248/13	Nevus, blue rubber	9/96
(with) polymorphic eruption		Myiasis	15/18	Nevus, comedonicus	137/96
due to paracetamol	145/03, 95/06	oral	145/14		525t/01, 133/05
(vs) scabies	196/15	Mycosis, fungoides		(and) HPV	32/17
vulvar	158/09	pityriasis lichenoides-like	231/10	Nevus, connect. tissue	135/94
xanthelasmoid	184/16	Myelomeningocele		(with) peripheral ramifications	115/11
McCune-Albright, syndrome	178/13	NFI	87/07	zosteriform	247/15
Melanoma	15/09	Myofibromatosis	141/91, 77/01	Nevus, dirty	277/12
congenital	87/98	Myxedema, pretibial	140/15	Nevus, epidermal	515t/01
congenital melanocytic nevus	135/12	N ail	851t/07		180/08, 145/10, 181/17
epidemiology, in Bari	143/01	hemorrhage	858t/07	epidermolytic	161/99
nevus spilus	62/16	incomplete develop.	119/13	hemorrhages, papillar	249/08
pediatric	97/98	malalignment, big toe	854t/07	hyperplastic, axillary	176/15
prepubertal	157/01, 7/17	Naxos, cardiocut. synd.	82/08	inflammatory	520t/01, 117/18
transplacental	137/01	Necrobiosis lipoidica	815t/06	syndromic	520t/01
Melanonychia	116/18	Necrolysis, epidermal, staph.		(vs) genital warts	4/11
strated	856t/07, 50/14, 215/17	vs necrolysis viral, drug	70/03	(vs) lichen striatus	6/04
Melkersson-Rosenthal, syndr.	145/99	Necrosis, subc. neonatal	69/95, 213/98	(vs) flat warts	6/07
Menkes' syndrome	17/99		13/03, 21/04, 744t/05	woolly hair	13/06
Metastasis, cutaneous			253/09, 26/14	Nevus, hairy	132/13
mammary cancer	63/14	hypothermia, induced	143/11	Nevus, halo	573t/02
Metformin	85/03	nephrocalcinosis	26/14	central	248/15
				irregular	167/10

partial	214/07	hairy	118/13	rheumatoid, benign	849t/07
vittiligo, bifocal	248/09	halo	51/11		395t/99
without halo	184/14	flogosis	114/14	Notalgia paresthetica	63/11
Nevus, hypermelanic	29/11	indication to surgery	90/08	Nutrition	
hypertrichotic	52/14	linear, palmo-plantar	240/16	neonatal	231/98
kiss	95/10	melanoma	135/12	skin disorders	81/96
sun	30/06	milia	192/16		
Nevus, hypopigmented	145/00,	mollus. contagiosum	244/11	O mnenn, syndrome	
	238/96	neuroid	116/17	atopic dermatitis	20/08
colocalized, lentig.	122/05	hematoma	116/13	Onychocriptosis	859t/07
colocalized, psoriasis	123/05	neurological complic.	94/08	congenital	23/99
(vs) nevus anemicus	102/05	non evident at birth	247/14, 172/16	Onychomadesis	
(vs) segmental vitiligo	198/94, 6/00,	in NF1	244/13	hand, foot, mouth	268/10
sun	30/06	oral mucosa	223/10	Werdnig-Hoffmann disease	137/06
trichocutaneous	171/15	regression on bending lines	158/12	Onychomycosis	860t/07
Nevus, hypotrichotic	179/14, 113/15	spontaneous	164/08, 278/12	<i>Candida rugosa</i>	53/11
band	68/17, 118/17	superimpos. psoriasis	60/13	Oral cavity	
tuberous sclerosis	178/14	surgical scar	243/11	hyperpigmentation	126/13
Nevus, lipomatosus	135/09,	synchronous, post-rX therapy	179/13	Oral-facial-digital, syndrome	145/95
	213/03, 246/15	varicella	91/07	Osler-Rendu-Weber disease	77t/94
Nevus, melanocytic acquired		vs hypermelanic nev.	134/08	Osseous heteroplasia	
cockade	175/16	vs plexiform neurofibroma	172/12	progressive	113/02
epidemiology	29/00	Nevus, Meyerson	73/08	Osteogenesis imperfe.	239/10
epidermolysis bullosa	81/00	Nevus, Ota		Osteoma cutis	109/02
desmoplastic	247/16	Turner, syndrome	123/10	Ozone, depletion	167/02
Dowling-Meara	60/09	Nevus, Reed	146/10, 116/11	Ozone, medical	
eruptive, EBDR	204/10,		51/16, 174/16, 202/16, 52/17	ulcers	183/11
	171/06, 141/98	Nevus sebaceous	9/13, 157/08,		
eruptive, on acne scar	134/06		526t/01	P achydermodactyly	
hypopigmented	201/10	chromatic variations	243/17	vs knuckle pads, chewing pads	230/12
immune suppression, topical	254/11	dermoscopy	115/14	Pachyonichia, congenita	217/96,
lack of hygiene	205/10	hypermelanic	11/18		214/13, 205/15, 4/18, 60/18
linear, palmoplantar	240/16	(vs) xanthogranuloma	6/06	Pads, peroneal	254/16
plaster photoprotection	180/17	Nevus, smooth muscles	589t/02	Pain, treatment	87/00
pseudohalo	61/09	Nevus, spilus	552t/01, 165/11	Panniculitis	
segmental, in twins	15/10		245/11, 52/13	chromosome 10	182/12
targetoid	50/16, 121/17		117/13	lipoatrophic	182/12
tattoo	64/09	and halo nevus	246/14	Papillitis, lingual	245/17
vs plantar ecchymosis	6/95	Nevus, Spitz	105/09, 33t/07,	Papillomatosis,	
Nevus, melanocytic congenital	529t/01		569t/02	confluent, reticulated	73/99,
	92/08	hypopigmented	4/09		122/15
accidents of removal	178/15	bleeding	62/09	Papillon-Lefèvre, syndr.	205/97
changes, clinical and dermoscopic		Nevus, syringocystoadenoma	610t/03	Papular eruption	
	256/08	Newborn		summer, recurrent	122/11
combined	244/14	skin care	93/15	Papular urticaria	
curettage	161/98	Nipple		bullous	180/16
delayed appearance	17/06	bloody	184/05	Papules, Gottron	
dermoscopy	77/04, 17d/07	erosive adenomatosis	62/13	(vs) flat wart	70/07
	213/07, 248/08, 135/12	Nodules		Papules, pearl-like of the penis	
follicular	89/07	alopecic aseptic	123/18	(vs) genital warts	154/02
giant, cerebriform	51/13	calcium, Winer	73/04	Papules, pedal piezogenic,	
giant, self-healing	217/98	milkers	836t/06	Ehlers-Danlos	175/07

Papulosis, fibrous white	140/15	Pigmentation		Post-pyoderma, dermatitis	
Papulosis, lymphomatoid		idiopathic eruptive macular	132/14		183/08, 186/17
type A	254/08, 126/17	linear, transient, neonatal	163/10	Precursor of hemangioma	113/08
type B	176/08		184/11	ischemic	68/08
type C	255/08	macular, eruptive, idiopathic	53/14	periungual	246/13
Parakeratosis, granular	124/15	Pigmented purpuric		ulcerated	805t/06
Parapsoriasis, en plaque	25/97	dermatosis	283/12	vs port-wine stain	14/97
Parvovirus B 19	117/14	Pili torti	17/99	Premature, skin disorders	107/98
Pediatric dermatology		X-linked ichthyosis	25/95	Premature, barrier function	
black	219/13	Pilomatricoma	469t/00, 9/01, 218/06,	of the skin	101/98
history	3/10		255/09, 125/11, 82/14	Probiotics	
internet	219/09	anetoderma	255/09	atopic dermatitis	102/17
Pediculosis		multiple, precancer	252/11	Processionaria, derm.	633t/03
capitis	33/08, 231/06, 753t/05	Pimecrolimus	214/09	Progeria	205/07
pubis	764t/05	Pityriasis lichenoides	125t/94	Prolidase, deficiency	85/97
feces	77/07	Pityriasis rosea	113t/94, 731t/04, 71/17	Propranolol	
viable nits	201/06	composita	201/17	acrocyanosis	58/17
Peeling, acral, syndrome	242/17	lichen anulare-like	99/110	clue to the diagnosis of hemangioma	
(vs) epidermolysis bollosa simplex	68/18	Pityriasis rubra pilaris	103/91		254/13
Pemphigoid, bullous	251/09		823t/06, 60/14, 199/14	rebound	167/12, 288/12, 121/13
infantile	29/03, 193/12, 15/13	isotretinoin	83/11	systemic	218/12, 215/12, 185/08
mucous membrane	218/07, 201/99	juvenile, classic	286/12	topical	185/08, 247/10, 166/12,
Pemphigus	616t/03	juvenile, localized	59/11		224/12, 54/13, 94/13
herpetiformis	154/03, 748t/05	(vs) psoriasis, follicular	70/00	Protein, cationic, eosinophilic	
seborrheic	250/09	(or) psoriasis, follicular	58/17	incontinentia pigmenti	9/94
vulgaris, neonatal	93/04	Pityriasis versicolor		Protrusion, perianal,	
Periarthritis nodosa	815t/06	face in adult	249/13	infantile	186/05, 198/08
Perioral, dermatitis		familial	31/06	Prurigo nodularis	
inhaled budesonide	141/95	hypopigmented vs atopic dermatitis,		<i>Ascaris lumbricoides</i>	31/09
granulomatous	73/00	vs vitiligo	218/02	Pruritus	209/91, 133/95
Peutz-Jeghers, syndrome	497t/01,	in children	9/06	visual scale	37/06
	553t/01	in monozygotic twins	192/11	Pseudoangiomatosis, eruptive	141/03
PHACE syndrome		vs segmental vitiligo	108/12	Pseudoarthritis	57/17
propranolol	218/12, 78/14	Poliosis		Pseudocysts, scalp	23/13
Phakomatosis		familial	178/17	Pseudocyst, smegma	772t/05
cesioflammea	9/07	halo nevus	120/17	PseudoILVEN	193/14
pigmento-keratotic	157/08, 89/15	Polymorphic, dermatitis		Pseudolymphoma	145/08
pigmento-vascularis	93/97,	post-staphylococcal	137/97	Pseudomelanoma	566t/02
	31/07, 243/10, 248/11	post-varicella	123/16	fascicular	161/04, 242/16
Photodermatitis		Polyp, adnexal	205/03	scar, hypertrophic	147/10
bergamot	145/97	Porokeratosis		spontaneous regression	26/06
fig	78/91	linear	105/02, 155/15, 57/16	Pseudotumor fibroosseous of	
irradiation, jaundice	250/16	Porphyria		the fingers	196/13, 252/13
Photoprotection		epato-erythropoietic	201/08	Pseudoxanthoma elasticum	673t/04
inherited disorders	78/08	erythropoietic	201/08		83/17
Phthyrasis		Port-wine stain	156/10	Bruch, membrane	60/11
maculae ceruleae	203/94	acquired	213/12, 30/16	Psoriasis	129t/95, 145t/95,
vs atopic blepharitis	198/07	erysipelas	67/17		55/09, 120/09
<i>Phthirus pubis</i>	245/12	(and) hemangioma	19/01	balano-preputial	185/13
dermoscopy	54/11	(vs) hemangioma, precursor	14/97	biologics in children	78/15
Piebaldism	216/06, 115/17	Post-chemotherapy,		calcinosis	109/09
hyperpigmented islets	23/08	dermatitis	73/96	coxsachie	190/14

Down-Turner mosaic	77/97	S.A.P.H.O.	219/04, 213/93	Streptococcal infection,	
Down, thick plaques	159/10	Sarcoidosis	99/94	herpetiformis	55/09
erythrodermic	847t/07, 142/13	Satellitosis		Streptococcus, beta-hemolytic	
focal	120/15	eruptive angioma	85/94, 751t/05,	Gianotti-Crosti syndrome	151/11
follicular			207/10	Sucking blisters	56/14
(vs) pityriasis rubra pilaris	70/00	Scabies	274/10, 840t/06,	Sun and skin	353t/98
(or) pityriasis rubra pilaris	59/17		382t/99	Sunscreens, melanoma	181/02
guttate and perianal streptococcal anitis	93/02	(vs) mastocytosis	196/15	Supernumerary finger	828t/06
immunotherapy	21/07	nodular	199/16	Sycosis	251/15
nail	861t/07	pustules, sterile	252/08	Syndactyly	828t/06
on Becker's nevus	251/13	epidermolysis bullosa	217/94	Syphilis, congenital	49/09
on pityriasis rosea	184/13	Scalp scaling dermat.	140/92	Syngocystoadenoma p.	83/09
pustular, generalized,		Scarlatina, staphylococcal		Syngoma, multiple	27/04, 140/15
febrile	213/08	vs streptococcal	134/03	Swimming pool, dermatitis	249/16
treatment	78/15	Scars		epidemic	163/12
(and) vitiligo, etanercept	220/16	hot cloth bag	216/10	T acrolimus	
Psychology examination	101/99	stellate hypertrophic	137/99	acquired melanocytic nevi	254/11
	167/99	Schimmelpenning, syndrome	157/08	Tail, true	36/07
Purpura	65t/94	Schntzler, syndrome	242/11	Tattoo	147/15
neonatal	165/98	Schoenlein-Henoch, syndrome	809t/06	pencil	186/16
psychogenic	135/13	(vs) hemorrhagic urticaria	198/04	Thalassemia major	
Purpuric, pigmented diseases	225/11	(vs) urticaria with pseudo-arthritis	4/17	scurvy	129/12
Pustulosis		Scleredema	217/06	Telangiectasia, nevoid	
acute	95/99	Scleroderma	75/93	vs acquired	30/16
neonatal cephalic	12/15	disabling, PUVA	141/99	vs scleroderma	133/00
Pyoderma		familial	165/12	Telogen effluvium	
bullous, sepsis	7/16	generalized treated with factor XIII	163/95	synchronous, neonatal	250/15
vs herpes simplex, vs tinea faciei	198/95	segmental vs nevoid telangiectasia	133/00	black	250/15
		tongue	252/16	Terra firma, dermatosis	138/10
Pyoderma gangrenosum	71/09	Sclerosis, tuberous	175/02	videolizumab	248/17
vitiligo	209/97	fibrous plaque	227/92	Test epicutanei	
Pyogenic granuloma	203/14	hypopigmented maculae	97/11	atopia	139/17
Quality of life		Scurvy		Timolol, topical	
skin disorders	135/11	thalassemia major	129/12	angioma, lobular eruptive	213/16
R adiation therapy		Sea anemone	213/94, 180/15	Tinea capitis	
tinea capitis	36/17	Sea urchins, granuloma	186/15	inflammatory, in black	182/15
Raphe, median cyst	144/12	Seborrheic, dermatitis	155/08,	kerion	205/08, 181/08
Reticulohistiocytosis	201/01		163/91	neonatal	209/16
Rhabdomyosarcoma	9/04,	vs LES	70/04	<i>Trichophyton rubrum</i>	249/11
	8/09, 78/13	Self cutting, adolescent	58/16	<i>Trichophyton sudanense</i>	227/10
Rosacea	17/97, 246/05,	Sepsis, meningococcal	182/05	X-rays	36/17
	111/10, 149/13	Silicon		Tinea corporis	246/17
Rosai-Dorfman, disease	63/16	atopic dermatitis	27/08	lamellar ichthyosis	142/10
Rothmund-Thomson, syndrome	77/99	Sinus, dermal		Tinea faciei	75/09
		craniale	244/15	eyebrow, beautician	119/11
S alomon, syndrome	233/92	lumbo-sacral	90/06	vs herpes simplex, vs pyoderma	198/95
Salivary glands		Socks and gloves, s.	181/15	Tinea incognita	35/09
pleomorphic adenoma	175/12	Sporotrichosis	808t/06	Tinea manuum	840t/06
Salmon patch, vulvar	114/15	limphangitic	64/13	Tongue	
		Stevens-Johnson, syndrome	141/97	bifid	79/17
				geographic	

atopic dermatitis	149/94	Ulerythema ophryogenes	171/16	Vörner, syndrome	138/2015
hemihypertrophy	157/12	Umbilical cord		Y olk sac tumor	40/07
<i>Mycoplasma pneumoniae</i>	205/06	hygiene	233/98	W aardenburg, syndrome	216/16
Toxocariasis	29/91	Uncombable hair, syndrome	116/15	Warts	17/14, 830t/06
Trachyonychia		Urachus, residua	246/11	cidofovir, topical	9/00
(and) lichen sclerosus	285/12	Urticaria	161t/95	common	
two autoimmune diseases	183/15	hemorrhagic	256/13, 64/15, 57/17	(vs) angiokeratoma, solitary, papular	196/16
Trichoblastoma	7/15	(vs) Schoenlein-Henoch purpura	198/04	(vs) exostosis	198/06
nevus sebaceous	62/15	pseudoarthritis		isotretinoin	189/16
Trichoepithelioma, multiple	190/11, 254/17	(vs) Schoenlein-Henoch purpura	4/17	(and) molluscum	122/16
(vs) follicular keratosis	132/11	Urticaria-angioedema		nutraceutical	269/12
molluscum contagiosum	196/17	diagnostic pitfalls	56/17	plantar	
Trichofolliculoma	7/15	(on) hemangioma	124/13	zinc	215/15
Trichorrhexis		V accine, reaction	161/91	potassium hydroxide	120/14
invaginata, nevoid	133/96	Varicella		subungual	215/99
Trichorrhexis nodosa	28/06	ecthyma	201/04	Watson, syndrome	241/11
Trichoscopy		neonatal	215/04	Webbed neck	
tinea	71/16	prophylaxis, acyclovir	205/04	Goltz syndrome	79/11
Trichostasis spinulosa	171/07	scars, hypertrophic	22/08	Winer	61/15
Trichoteiromania	255/15	vaccination	24/08	Woolly hair nevus	180/13, 13/06
trichoteirotillomania	250/17	zoster	251/08		182/14
Trichotillomania		Vasculitis	124/14	X anthogranuloma, juvenile	
vs child, abuse	134/93	Verrucous hemangioma	217/14	225/12, 254/09, 4/09,	
Trichotillotic	211/00	Vellus hair cysts		166/06, 417t/99, 81/97	
Trichothiodystrophy	45/91	congenital eruptive	144/15	deep	279/10
Trombophlebitis, superficial		Videolizumab		dermoscopy	135/17
migrans	213/11	terra firma	248/17	hypotrophic limb	159/09
Tuberculosis	179/10	Vit. B 12		mastocytosis, and	63/13
verrucosa, cutis	19/13	hyperpigmentation	126/17	neurofibromatosis	270/10
Tuberous sclerosis		Vitiligo	196/09, 231/02	non xanthomized	64/17
hypotrichotic nevus	178/14	atopic dermatitis	177/10	osteogenesis imperfecta	239/10
nail changes	290/12	(vs) atopic dermatitis,		(vs) sebaceous nevus	6/06
repigmentation, follicular	113/17	pityriasis versicolor	218/02	Xanthoma, papular	190/13, 72/08, 25/03
Tumor		focal	58/13	Xeroderma pigmentosum	149/07
glomus	201/97	inflammatory border	276/10		141/04
Masson	117/09	kellin	13/99	Z inc	
neonatal	97/99	Koebner phenomenon	169/06	acquired deficiency	62/11
yolk sac	40/07	parents, anxious-depressive mood	70/118	acrodermatitis enteropathica	13/92
Tungiasis	842t/06	(and) psoriasis, etanercept	220/16	vitamin C	29/04
Twenty-nail dystrophy	864t/07	segmental		warts	215/15
Tyrosinemia	244/09	leucotrichia	61/16, 181/16	Zoon's balanitis	
type I	242/09	nevus depigmentosus	249/17	tacrolimus	189/12
type II	243/09	(vs) nevus depigmentosus	189/94		
U lcer, acute buccal	75/17		6/00, 221/12		
Ulcus vulvae acutum	248/14	(vs) pityriasis versicolor	108/12		
		therapy	231/02		