

*Pachydermodactyly/Knuckle pads/Chewing pads.* 230

*Congenital tufted angioma.* 233

*Anhidrosis pan-analgesia and self-mutilation.* 237

*Serum sickness-like reaction due to cefdinir.* 242

*Family phthiriasis of eyelashes, scalp and pubis.* 245

*Kaposiform hemangioendothelioma with Kasabach-Merritt syndrome.* 249

*Erythrokeratoderma variabilis Cram-Mevorah.* 253

*Segmental neurofibromatosis 1. Differences between children and adults.* 257

*Oro-facial and ano-genital granulomatosis. Relation with Crohn's disease.* 263

*A nutraceutical in common warts and molluscum contagiosum.* 269

*Cutis marmorata telangiectatica congenita.* 276



*Dirty nevus.* 277

*Follicular regression of a congenital nevus.* 278

*Difficulties in clinical diagnosis of hemangioma.* 279

*Atypical Hand-Foot-Mouth disease.* 280

*Steroid acne.* 282

*Lichen aureus.* 283

*Linear morphea treated with calcipotriol and betamethasone.* 284

*Trachyonychia and lichen sclerosus.* 285

*Pityriasis rubra pilaris type III classic juvenile.* 286

*Langerhans cell congenital histiocytoma.* 287

*Rebound effect in subglottic hemangioma treated with propranolol. Associated steroids are useful.* 288

*Nail changes in tuberous sclerosis: all caused by Koenen fibromas?* 290